



APPLICATION FOR EMC DIRECTIVE

On Behalf of

SHENZHEN CAZN ELECTRONIC CO., LTD

CONNECTOR

Trade Name: CAZN

Model: E7, E10, E13, E16, E-USB, E-RJ45, E-FDDI, E-HDMI, E-D-SUB

Prepared For : SHENZHEN CAZN ELECTRONIC CO., LTD
5th Floor, C building, No 381 Huating Road, Dalang Street, Longhua
District, Shenzhen China.

Prepared By : TMC Testing Services(Shenzhen) Co., Ltd.
1/F., Block A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road,
Shilong Community, Shiyan Street, Baoan District, Shenzhen, China
Tel: +86-755- 86642861
Web: www.tmc-lab.com
E-mail : Cert@tmc-lab.com

Date of Test : December 16, 2022- December 21, 2022

Date of Report : December 22, 2022

Report Number : MK22120013-P01E01

TABLE OF CONTENTS

TEST REPORT DECLARATION	5
1. TEST RESULTS SUMMARY	6
2. GENERAL INFORMATION	7
2.1. Report information	7
2.2. Description of Test Facility and Measurement Uncertainty	7
3. PRODUCT DESCRIPTION	8
3.1. EUT Description	8
3.2. Block Diagram of EUT Configuration	8
3.3. Operating Condition of EUT	8
3.4. Test Conditions	8
3.5. Modifications	8
3.6. Abbreviations	9
3.7. Performance Criterion	9
4. TEST EQUIPMENT USED	10
4.1. For Conducted Emission Test	10
4.2. For Radiated Emission Measurement	10
4.3. For Harmonic / Flicker Test	10
4.4. For Electrostatic Discharge Immunity Test	10
4.5. For RF Strength Susceptibility Test	10
4.6. For Electrical Fast Transient/Burst Immunity Test	10
4.7. For Surge Test	11
4.8. For Injected Currents Susceptibility Test	11
4.9. For Magnetic Field Immunity Test	11
4.10. For Voltage Dips and Interruptions Test	11
5. POWER LINE CONDUCTED EMISSION TEST	12
5.1. Block Diagram of Test Setup	12
5.2. Test Standard	12
5.3. Power Line Conducted Emission Limit	12
5.4. EUT Configuration on Test	12
5.5. Operating Condition of EUT	12
5.6. Test Procedure	13
5.7. Test Result	13
6. RADIATED EMISSION TEST	14
6.1. Open Site Setup Diagram	14
6.2. Test Standard	14
6.3. Radiated Emission Limit	14
6.4. EUT Configuration on Test	14
6.5. Operating Condition of EUT	15
6.6. Test Procedure	15
6.7. Test Results	15
7. HARMONIC CURRENT EMISSION TEST	16
7.1. Block Diagram of Test Setup	16
7.2. Test Standard and Limit	16
7.3. Test Procedure	17
7.4. Test Results	17
8. VOLTAGE FLUCTUATIONS & FLICKER TEST	18
8.1. Block Diagram of Test Setup	18
8.2. Test Standard	18

8.3.	Operating Condition of EUT	18
8.4.	Test Data	18
8.5.	Test Results	18
9.	ELECTROSTATIC DISCHARGE TEST	19
9.1.	Block Diagram of ESD Test Setup	19
9.2.	Test Standard	19
9.3.	Severity Levels and Performance Criterion	19
9.4.	EUT Configuration on Test	19
9.5.	Operating Condition of EUT	19
9.6.	Test Procedure	20
9.7.	Test Results	20
10.	RF FIELD STRENGTH SUSCEPTIBILITY TEST	22
10.1.	R/S Test Setup	22
10.2.	Test Standard	22
10.3.	Severity Levels and Performance Criterion	22
10.4.	EUT Configuration on Test	23
10.5.	Operating Condition of EUT	23
10.6.	Test Procedure	23
10.7.	Test Results	23
11.	ELECTRICAL FAST TRANSIENT/BURST TEST	25
11.1.	EFT Test Setup	25
11.2.	Test Standard	25
11.3.	Severity Levels and Performance Criterion	25
11.4.	EUT Configuration on Test	25
11.5.	Operating Condition of EUT	25
11.6.	Test Procedure	26
11.7.	Test Results	26
12.	SURGE TEST	28
12.1.	Surge Test Setup	28
12.2.	Test Standard	28
12.3.	Severity Levels and Performance Criterion	28
12.4.	EUT Configuration on Test	28
12.5.	Operating Condition of EUT	28
12.6.	Test Procedure	29
12.7.	Test Results	29
13.	INJECTED CURRENTS SUSCEPTIBILITY TEST	31
13.1.	Block Diagram of Test AC Mains Setup	31
13.2.	Test Standard	31
13.3.	Severity Levels and Performance Criterion	31
13.4.	EUT Configuration on Test	31
13.5.	Operating Condition of EUT	31
13.6.	Test Procedure	32
13.7.	Test Results	32
14.	VOLTAGE DIPS AND INTERRUPTIONS TEST	34
14.1.	Voltage Dips and Interruptions Test Setup	34
14.2.	Test Standard	34
14.3.	Severity Levels and Performance Criterion	34
14.4.	EUT Configuration on Test	34
14.5.	Operating Condition of EUT	34
14.6.	Test Procedure	35
14.7.	Test Result	35

APPENDIX I **37**
APPENDIX II **40**



TEST REPORT DECLARATION

Applicant	:	SHENZHEN CAZN ELECTRONIC CO., LTD
Address	:	5th Floor, C building, No 381 Huating Road, Dalang Street, Longhua District, Shenzhen China.
EUT Description	:	CONNECTOR
Model Number	:	E7, E10, E13, E16, E-USB, E-RJ45, E-FDDI, E-HDMI, E-D-SUB

Test Standards:

EN 61000-6-1:2017
 EN 61000-6-3:2007+A1:2011
 EN IEC 61000-3-2:2019+A1:2021
 EN 61000-3-3:2013/A2:2021

The EUT described above is tested by TMC Testing Services(Shenzhen) Co., Ltd. EMC Laboratory to determine the maximum emissions from the EUT and ensure the EUT to be compliance with the immunity requirements of the EUT. TMC Testing Services(Shenzhen) Co., Ltd. EMC Laboratory is assumed full responsibility for the accuracy of the test results. Also, this report shows that the EUT technically complies with the 2014/30/EU directive and its amendment requirements.

The test report is valid for above tested sample only and shall not be reproduced in part without written approval of the laboratory.

Prepared by :



Judy Chen/Assistant

Approved & Authorized Signer :

Vivian Jiang/ Manager

1. TEST RESULTS SUMMARY

Table 1 Test Results Summary

Test Items	Test Results
Power Line Conducted Emission Test	PASS
Radiated Emission Test	PASS
Harmonic Current Emission Test	N/A
Voltage Fluctuations & Flicker Test	N/A
Electrostatic Discharge Test	PASS
RF Field Strength Susceptibility Test	PASS
Electrical Fast Transient/Burst Test	N/A
Surge Test	N/A
Injected Currents Susceptibility Test	N/A
Voltage Dips And Interruptions Test	N/A

2. GENERAL INFORMATION

2.1. Report information

- 2.1.1. This report is not a certificate of quality; it only applies to the sample of the specific product/equipment given at the time of its testing. The results are not used to indicate or imply that they are application to the similar items. In addition, such results must not be used to indicate or imply that TMC approves recommends or endorses the manufacture, supplier or use of such product/equipment, or that TMC in any way guarantees the later performance of the product/equipment.
- 2.1.2. The sample/s mentioned in this report is/are supplied by Applicant, TMC therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture or any information supplied.
- 2.1.3. Additional copies of the report are available to the Applicant at an additional fee. No third part can obtain a copy of this report through TMC, unless the applicant has authorized TMC in writing to do so.

2.2. Description of Test Facility and Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

Measurement	Frequency		Uncertainty
Conducted emissions	9kHz-30MHz		+/- 3.59dB
Radiated emissions	Horizontal	30MHz~230MHz	+/-4.77 dB
		230MHz~300MHz	+/-4.93 dB
	Vertical	30MHz~230MHz	+/-5.04 dB
		230MHz~300MHz	+/-4.93 dB


This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

3. PRODUCT DESCRIPTION

3.1. EUT Description

Description	:	CONNECTOR
Applicant	:	SHENZHEN CAZN ELECTRONIC CO., LTD 5th Floor, C building, No 381 Huating Road, Dalang Street, Longhua District, Shenzhen China.
Manufacturer	:	SHENZHEN CAZN ELECTRONIC CO., LTD 5th Floor, C building, No 381 Huating Road, Dalang Street, Longhua District, Shenzhen China.
Model Number	:	E7

3.2. Block Diagram of EUT Configuration



3.3. Operating Condition of EUT

Test mode 1: ON

3.4. Test Conditions

Temperature: 23-26°C
 Relative Humidity: 55-68 %

3.5. Modifications

No modification was made.

3.6. Abbreviations

AC	Alternating Current
AMN	Artificial Mains Network
DC	Direct Current
EM	ElectroMagnetic
EMC	ElectroMagnetic Compatibility
EUT	Equipment Under Test
IF	Intermediate Frequency
RF	Radio Frequency
rms	root mean square
EMI	Electromagnetic Interference
EMS	Electromagnetic Susceptibility

3.7. Performance Criterion

Criterion A: The equipment shall continue to operate as intended without operator intervention. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer when the equipment is used as intended.

Criterion B: After the test, the equipment shall continue to operate as intended without operator intervention. No degradation of performance or loss of function is allowed, after the application of the phenomena below a performance level specified by the manufacturer, when the equipment is used as intended.

Criterion C: Loss of function is allowed, provided the function is self-recoverable, or can be restored by the operation of the controls by the user in accordance with the manufacturer's instructions.

4. TEST EQUIPMENT USED

4.1. For Conducted Emission Test

Item	Equipment	Manufacturer	Model No.	Serial No.	Calibration time	Recalibration time
1.	Test Receiver	Rohde & Schwarz	ESPI3	101396	Oct.28, 22	Oct.27, 23
2.	L.I.S.N.	Rohde & Schwarz	ENV216	102723	Oct.28, 22	Oct.27, 23
3.	Wet and dry thermometer	M&G	ARC92569	N/A	Oct.28, 22	Oct.27, 23
4.	Shielding room	SKET	2021082301	N/A	Aug.23,21	Aug.22,24

4.2. For Radiated Emission Measurement

Item	Equipment	Manufacturer	Model No.	Serial No.	Calibration time	Recalibration time
1.	Test Receiver	Rohde&Schwarz	ESC17(9kHz-7GHz)	100336	Oct.28, 22	Oct.27, 23
2.	Broadband antenna	Schwarzbeck	VULB9168	01222	Oct.28, 22	Oct.27, 23
3.	Horn antenna	Schwarzbeck	BBHA9120D	02476	Oct.28, 22	Oct.27, 23
4.	Preamplifier	Schwarzbeck	BBV9745	00250	Oct.28, 22	Oct.27, 23
5.	Preamplifier	N/A	TRLA-01018G440B	21081001	Oct.28, 22	Oct.27, 23
6.	3M method semi anechoic chamber	SKET	9m*6m*6m	2021082304	Oct.14,21	Oct.13,24
7.	Pointer hygrometer	M&G	ARC92570	N/A	Oct.28, 22	Oct.27, 23

4.3. For Harmonic / Flicker Test

Item	Equipment	Manufacturer	Model No.	Serial No.	Calibration time	Recalibration time
1.	Harmonic Flicker Tester	BOSUOTE	5001ix	080419-03	Apr.07,22	Apr.06,23

4.4. For Electrostatic Discharge Immunity Test

Item	Equipment	Manufacturer	Model No.	Serial No.	Calibration time	Recalibration time
1.	Electrostatic analog generator	LIONCEL	ESD-203B	0210502	Oct.28, 22	Oct.27, 23

4.5. For RF Strength Susceptibility Test

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Recalibration time
1.	Signal Generator	HP	8648A	3633A02081	Jun. 03,22	Jun. 03,23
2.	MIXER	A&R	500A100	17034	NCR	NCR
3.	MIXER	A&R	100W/1000M1	17028	NCR	NCR
4.	Isotropic Field Monitor	A&R	FM2000	16829	NCR	NCR
5.	Isotropic Field Probe	A&R	FLW220100	16755	Jun. 03, 22	Jun. 03,23
6.	Biconic Antenna	EMCO	3108	9507-2534	NCR	NCR
7.	Log-periodic Antenna	A&R	AT1080	16812	NCR	NCR
8.	PC	N/A	486DX2	N/A	N/A	N/A

4.6. For Electrical Fast Transient/Burst Immunity Test

Item	Equipment	Manufacturer	Model No.	Serial No.	Calibration time	Recalibration time
1	Full-featured immunity tester	N/A	HV1P16T	080107-04	Apr.16,22	Apr.15,23
2	Test System	N/A	EMCPRO PLUS	080107-06	/	/
3	Group Pulse Coupling Clip	N/A	H3C	080107-07	Apr.16,22	Apr.15,23

4.7. For Surge Test

Item	Equipment	Manufacturer	Model No.	Serial No.	Calibration time	Recalibration time
1	Full-featured immunity tester	N/A	HV1P16T	080107-04	Apr.16,22	Apr.15,23
2	Test System	N/A	EMCPRO PLUS	080107-06	/	/
3	Group Pulse Coupling Clip	N/A	H3C	080107-07	Apr.16,22	Apr.15,23

4.8. For Injected Currents Susceptibility Test


Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Recalibration time
1.	Simulator	EMTEST	CWS 500C	0900-12	April 20, 22	April 20, 23
2.	CDN	EMTEST	CDN-M2	510010010010	April 20, 22	April 20, 23
3.	VDN	EMTEST	CDN-M3	0900-11	April 20, 22	April 20, 23
4.	Injection Clamp	EMTEST	F-2031-23MM	368	April 20, 22	April 20, 23
5.	Attenuator	EMTEST	ATT6	0010222A	April 20, 22	April 20, 23

4.9. For Voltage Dips and Interruptions Test

Item	Equipment	Manufacturer	Model No.	Serial No.	Calibration time	Recalibration time
1	Full-featured immunity tester	N/A	HV1P16T	080107-04	Apr.16,22	Apr.15,23
2	Test System	N/A	EMCPRO PLUS	080107-06	/	/
3	Group Pulse Coupling Clip	N/A	H3C	080107-07	Apr.16,22	Apr.15,23

5. POWER LINE CONDUCTED EMISSION TEST

5.1. Block Diagram of Test Setup



5.2. Test Standard

EN 61000-6-3:2007+A1:2011

5.3. Power Line Conducted Emission Limit

Frequency MHz	Limits dB(μV)	
	Quasi-peak Level	Average Level
0.15 ~ 0.50	66 ~ 56*	56 ~ 46*
0.50 ~ 5.00	56	46
5.00 ~ 30.00	60	50

Notes: 1. *Decreasing linearly with logarithm of frequency.

2. The lower limit shall apply at the transition frequencies.

5.4. EUT Configuration on Test

The following equipments are installed on conducted emission test to meet EN61000 requirement and operating in a manner, which tends to maximize its emission characteristics in a normal application.

5.4.1. EUT Information

Model Number: E7

Manufacturer: SHENZHEN CAZN ELECTRONIC CO., LTD

5.5. Operating Condition of EUT

5.5.1. Setup the EUT and simulators as shown in Section 5.1.

5.5.2. Turn on the power of all equipments.

5.5.3. Let the EUT work in test modes (ON) and test it.

5.6. Test Procedure

The EUT is put on the ground and connected to the AC mains through a Artificial Mains Network (AMN). This provided 50ohm-coupling impedance for the tested equipments. Both sides of AC line are checked to find out the maximum conducted emission levels according to the EN55022 regulations during conducted emission test.


The bandwidth of the test receiver (R&S Test Receiver ESHS30) is set at 10KHz.

5.7. Test Result

PASS

6. RADIATED EMISSION TEST

6.1. Open Site Setup Diagram



6.2. Test Standard

EN 61000-6-3:2007+A1:2011

6.3. Radiated Emission Limit

All emanations from a Class B computing devices or system, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strengths specified below:

FREQUENCY (MHz)	DISTANCE (Meters)	FIELD STRENGTHS LIMITS (dB μ V/m)
30 ~ 230	3	40
230 ~ 1000	3	47

Note:(1) The tighter limit shall apply at the edge between two frequency bands.

(2) Distance refers to the distance in meters between the measuring instruments antenna and the closed point of any part of the EUT.

6.4. EUT Configuration on Test

The EN61000 Class B regulations test method must be used to find the maximum emission during radiated emission test.

6.5. Operating Condition of EUT

- 6.5.1. Setup the EUT as shown on Section 6.1.
- 6.5.2. Turn on the power of all equipments.
- 6.5.3. Let the EUT work in test mode and measure it.

6.6. Test Procedure

The EUT is placed on a turn table which is 0.8 meter above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT is set 3 meters away from the receiving antenna which is mounted on a antenna tower. The antenna can move up and down between 1 to 4 meters to find out the maximum emission level. Broadband antenna (calibrated by dipole antenna) are used as a receiving antenna. Both horizontal and vertical polarization of the antenna are set on test.

The bandwidth setting on the test receiver (R&S TEST RECEIVER ESCS20) is 120 KHz. The EUT is tested in Anechoic Chamber. and all the scanning waveform is put in **Appendix I.**

6.7. Test Results

PASS.

7. HARMONIC CURRENT EMISSION TEST

7.1. Block Diagram of Test Setup



7.2. Test Standard and Limit

7.2.1. Test Standard

EN IEC 61000-3-2:2019+A1:2021

7.2.2. Limits

Table 12 Harmonic Current Test Limit (Class A)

Harmonic order (n)	Maximum permissible harmonic current (A)
Odd harmonics	
3	2.30
5	1.14
7	0.77
9	0.40
11	0.33
13	0.21
$15 \leq n \leq 39$	$0.15 \times 15/n$
Even harmonics	
2	1.08
4	0.43
6	0.30
$8 \leq n \leq 40$	$0.23 \times 8/n$

7.3. Test Procedure

The power cord of the EUT is connected to the output of the test system. Turn on the Power of the EUT and use the test system to test the harmonic current level.

7.4. Test Results

N/A

8. VOLTAGE FLUCTUATIONS & FLICKER TEST

8.1. Block Diagram of Test Setup

Same as Section 7.1.

8.2. Test Standard

EN 61000-3-3:2013/A2:2021

8.3. Operating Condition of EUT

Same as Section 7.3.. The power cord of the EUT is connected to the output of the test system. Turn on the power of the EUT and use the test system to test the harmonic current level.

Flicker Test Limit

Test items	Limits
Pst	1.0
dc	3.3%
dmax	4.0%
dt	Not exceed 3.3% for 500ms

8.4. Test Data

Flicker test Data

Model No.: E7

Test Mode: 1


Items	Reading	Limit
dmax	0.02	4.0%
dc	0.03	3.3%
dt	0.05	Not exceed 3.3% for 500ms
Pst	0.001	1.0

8.5. Test Results

N/A

9. ELECTROSTATIC DISCHARGE TEST

9.1. Block Diagram of ESD Test Setup



9.2. Test Standard

EN 61000-4-2:2014 Severity Level 3 for Air Discharge at 8KV
Severity Level 2 for Contact Discharge at 4KV

9.3. Severity Levels and Performance Criterion

9.3.1. Severity level

Level	Test Voltage Contact Discharge (KV)	Test Voltage Air Discharge (KV)
1.	2	2
2.	4	4
3.	6	8
4.	8	15
X.	Special	Special

9.3.2. Performance criterion: B

9.4. EUT Configuration on Test

The configuration of EUT is listed in Section 3.2.

9.5. Operating Condition of EUT

- 9.5.1. Setup the EUT as shown in Section 9.1.
- 9.5.2. Turn on the power of all equipments.
- 9.5.3. Let the EUT work in test mode (ON) and test it.

9.6. Test Procedure

9.6.1. Air Discharge:

This test is done on non-conductive surfaces. The round discharge tip of the discharge electrode shall be approached as fast as possible to touch the EUT.

After each discharge, the discharge electrode shall be removed from the EUT.

The generator is then re-triggered for a new single discharge and repeated 10 times for each pre-selected test point. This procedure shall be repeated until all the air discharge completed.

9.6.2. Contact Discharge:

All the procedure shall be same as Section 9.6.1. except that the tip of the discharge electrode shall touch the EUT before the discharge switch is operated.

9.6.3. Indirect discharge for horizontal coupling plane

At least 20 single discharges shall be applied to the horizontal coupling plane, at points on each side of the EUT. The discharge electrode positions vertically at a distance of 0.1m from the EUT and with the discharge electrode touching the coupling plane.

9.6.4. Indirect discharge for vertical coupling plane

At least 20 single discharge shall be applied to the center of one vertical edge of the coupling plane. The coupling plane, of dimensions 0.5m X 0.5m, is placed parallel to, and positioned at a distance of 0.1m from the EUT. Discharges shall be applied to the coupling plane, with this plane in sufficient different positions that the four faces of the EUT are completely illuminated.

9.7. Test Results

PASS.

Please refer to the following page.

Electrostatic Discharge Test Results

TMC Testing Services(Shenzhen) Co., Ltd.

Date: December 22, 2022

Applicant : <u>SHENZHEN CAZN ELECTRONIC CO., LTD</u>	Test Date : <u>December 20, 2022</u>
EUT : <u>CONNECTOR</u>	Temperature : <u>22 °C</u>
M/N : <u>E7</u>	Humidity : <u>50 %</u>
Power Supply : <u>AC300V</u>	Test Mode : <u>Charging</u>
Test Engineer : <u>Jason Wen</u>	

Air Discharge: $\pm 8KV$ For each point positive 10 times and negative 10 times discharge.


Contact Discharge: $\pm 4KV$

Location	Kind A-Air Discharge C-Contact Discharge	Result
Slots 6 points	A	PASS
Ports 2 points	C	PASS
HCP 8 points	C	PASS
VCP 8 points	C	PASS

Discharge should be considered on Contact and Air and Horizontal Coupling Plane (HCP) and Vertical Coupling Plane (VCP).

10. RF FIELD STRENGTH SUSCEPTIBILITY TEST

10.1. R/S Test Setup



10.2. Test Standard

EN 61000-4-3:2006+A1:2008+A2:2010
Severity Level 2 at 3V / m

10.3. Severity Levels and Performance Criterion

10.3.1. Severity level

Level	Field Strength V/m
1.	1
2.	3
3.	10
X.	Special

10.3.2. Performance criterion: A

10.4. EUT Configuration on Test

The configuration of EUT are listed in Section 3.2

10.5. Operating Condition of EUT

Setup the EUT as shown in Section 10.1.. The operating condition of EUT is listed in section 3.3.

10.6. Test Procedure

The EUT and its simulators are placed on a turn table which is 0.8 meter above the ground. The EUT is set 3 meters away from the transmitting antenna which is mounted on an antenna tower. Both horizontal and vertical polarizations of the antenna are set on test. Each of the four sides of EUT must be faced this transmitting antenna and measured individually. In order to judge the EUT performance, a CCD camera is used to monitor the EUT. All the scanning conditions are as follows:

Condition of Test	Remark
1. Fielded Strength	3 V/m (Severity Level 2)
2. Radiated Signal	Modulated
3. Scanning Frequency	80 - 1000 MHz
4. Sweeping time of radiated	0.0015 decade/s
5. Dwell Time	1 Sec.

10.7. Test Results

PASS.

Please refer to the following page.

RF Field Strength Susceptibility Test Results


TMC Testing Services(Shenzhen) Co., Ltd.

Date: December 22, 2022

<i>Applicant</i> : SHENZHEN CAZN ELECTRONIC CO., LTD	<i>Test Date</i> : December 20, 2022
<i>EUT</i> : CONNECTOR	<i>Temperature</i> : 22 °C
<i>M/N</i> : E7	<i>Humidity</i> : 50 %
<i>Power Supply</i> : AC300V	<i>Test Mode</i> : Charging
<i>Test Engineer</i> : Jason Wen	<i>Frequency Range</i> : 80 MHz to 1000 MHz
<i>Modulation:</i> <input checked="" type="checkbox"/> AM <input type="checkbox"/> Pulse <input type="checkbox"/> none 1 KHz 80%	
<i>Criterion</i> : A	
<i>Frequency Rang</i> : <div style="text-align: center;">80-1000</div>	
<i>Steps</i>	<div style="display: flex; justify-content: space-around;">1%1%</div>
	<div style="display: flex; justify-content: space-around;">HorizontalVertical</div>
<i>Front</i>	<div style="display: flex; justify-content: space-around;">PassPass</div>
<i>Right</i>	<div style="display: flex; justify-content: space-around;">PassPass</div>
<i>Rear</i>	<div style="display: flex; justify-content: space-around;">PassPass</div>
<i>Left</i>	<div style="display: flex; justify-content: space-around;">PassPass</div>

11. ELECTRICAL FAST TRANSIENT/BURST TEST

11.1. EFT Test Setup



11.2. Test Standard

EN 61000-6-1:2017 (EN61000-4-4:2012)
 Severity Level 2 at 1KV

11.3. Severity Levels and Performance Criterion

11.3.1. Severity level

Open Circuit Output Test Voltage $\pm 10\%$		
Level	On Power Supply Lines	On I/O (Input/Output) Signal data and control lines
1	0.5 KV	0.25 KV
2	1 KV	0.5 KV
3	2 KV	1 KV
4	4 KV	2 KV
X	Special	Special

11.3.2. Performance criterion: B

11.4. EUT Configuration on Test

The configuration of EUT are listed in Section 3.2.

11.5. Operating Condition of EUT

Setup the EUT as shown in Section 11.1.. The operating condition of EUT is listed in section 3.3.

11.6. Test Procedure

The EUT is put on the table which is 0.8 meter high above the ground. This reference ground plane shall project beyond the EUT by at least 0.1m on all sides and the minimum distance between the EUT and all other conductive structure, except the ground plane beneath the EUT, shall be more than 0.5m.

11.6.1. For input and output AC power ports:

The EUT is connected to the power mains by using a coupling device which couples the EFT interference signal to AC power lines. Both polarities of the test voltage should be applied during compliance test and the duration of the test is 2 mins.

11.6.2. For signal lines and control lines ports:

It's necessary to test.

11.6.3. For DC output line ports:

It's unnecessary to test.

11.7. Test Results

N/A

Please refer to the following page.

Electrical Fast Transient/Burst Test Results


TMC Testing Services(Shenzhen) Co., Ltd.

Date: December 22, 2022

<i>Applicant</i>	: SHENZHEN CAZN ELECTRONIC CO., LTD	<i>Test Date</i>	: December 20, 2022						
<i>EUT</i>	: CONNECTOR	<i>Temperature</i>	: 22 °C						
<i>M/N</i>	: E7	<i>Humidity</i>	: 50 %						
<i>Power Supply</i>	: AC300V	<i>Test Mode</i>	: Charging						
<i>Test Engineer</i>	: Jason Wen								
<i>Inject Place</i> : AC Mains									
<i>Inject Line</i>	<i>Voltage KV</i>	<i>Inject Time(s)</i>	<i>Inject Method</i>	<i>Results</i>	<i>Inject Line</i>	<i>Voltage KV</i>	<i>Inject Time(s)</i>	<i>Inject Method</i>	<i>Results</i>
L	±1	120	Direct	N/A					
N	±1	120	Direct	N/A					

12. SURGE TEST

12.1. Surge Test Setup



12.2. Test Standard

EN 61000-6-1:2017 (EN61000-4-5:2014+A1:2017)
Severity Level 2 for Line to Neutral at 1.0KV

12.3. Severity Levels and Performance Criterion

12.3.1. Severity level

Severity Level	Open-Circuit Test Voltage KV
1	0.5
2	1.0
3	2.0
4	4.0
*	Special

12.3.2. Performance criterion : B

12.4. EUT Configuration on Test

The configuration of EUT are listed in Section 3.2.

12.5. Operating Condition of EUT

12.5.1. Setup the EUT as shown in Section 12.1..

12.5.2. Turn on the power of all equipments.

12.5.3. Let the EUT work in test mode (ON) and test it.

12.6. Test Procedure

- 1) Setup the EUT and test generator as shown on Section 12.1.
- 2) For line to line coupling mode, provide a 0.5KV 1.2/50us voltage surge (at open-circuit condition) and 8/20us current surge to EUT selected points.
- 3) At least 5 positive and 5 negative (polarity) tests with a maximum 1/min repetition rate are conducted during test.
- 4) Different phase angles are done individually.
- 5) Record the EUT operating situation during compliance test and decide the EUT immunity criterion for above each test.

12.7. Test Results

N/A

Please refer to the following page.

Surge Immunity Test Results


TMC Testing Services(Shenzhen) Co., Ltd.

Date: December 22, 2022

<i>Applicant</i> : SHENZHEN CAZN ELECTRONIC CO., LTD		<i>Test Date</i> : December 20, 2022			
<i>EUT</i> : CONNECTOR		<i>Temperature</i> : 22 °C			
<i>M/N</i> : E7		<i>Humidity</i> : 50 %			
<i>Power Supply</i> : AC300V		<i>Test Mode</i> : ON			
<i>Test Engineer</i> : Jason					
<i>Location</i>	<i>Pulse Voltage (KV)</i>	1kV		2kV	
		+	-	+	-
<i>L-N</i>	0				
	90	N/A			
	180				
	270		N/A		
<i>L-PE</i>	0				
	90			N/A	
	180				
	270				N/A
<i>N-PE</i>	0				
	90			N/A	
	180				
	270				N/A

13. INJECTED CURRENTS SUSCEPTIBILITY TEST

13.1. Block Diagram of Test AC Mains Setup



13.2. Test Standard

EN 61000-6-1:2017 (EN 61000-4-6:2014/AC:2015)
Severity Level 2 at 3 V (rms), 0.15MHz ~ 80MHz

13.3. Severity Levels and Performance Criterion

13.3.1. Severity level

Level	Field Strength V/m
1.	1
2.	3
3.	10
X	Special

13.3.2. Performance criterion: A

13.4. EUT Configuration on Test

The configuration of EUT are listed in Section 3.2

13.5. Operating Condition of EUT

Setup the EUT as shown in Section 13.1.. The operating condition of EUT are listed in section 3.3

13.6. Test Procedure

- 1) Set up the EUT, CDN and test generators as shown on Section 13.1.
- 2) Let the EUT work in test mode and test it.
- 3) The EUT are placed on an insulating support 0.8m high above a ground reference plane. CDN (coupling and decoupling device) is placed on the ground plane about 0.3m from EUT. Cables between CDN and EUT are as short as possible, and their height above the ground reference plane shall be between 30 and 50 mm (where possible).
- 4) The disturbance signal described below is injected to EUT through CDN.
- 5) The EUT operates within its operational mode(s) under intended climatic conditions after power on.
- 6) The frequency range is swept from 150KHz to 80MHz using 3V signal level, and with the disturbance signal 80% amplitude modulated with a 1KHz sine wave.
- 7) The rate of sweep shall not exceed 1.5×10^{-3} decades/s. Where the frequency is swept incrementally, the step size shall not exceed 1% of the start and thereafter 1% of the preceding frequency value.
- 8) Recording the EUT operating situation during compliance testing and decide the EUT immunity criterion.

13.7. Test Results

N/A

Please refer to the following page.

Injected Currents Susceptibility Test Results


TMC Testing Services(Shenzhen) Co., Ltd.

Date: December 22, 2022

<i>Applicant</i> : SHENZHEN CAZN ELECTRONIC CO., LTD		<i>Test Date</i> : December 20, 2022		
<i>EUT</i> : CONNECTOR		<i>Temperature</i> : 22 °C		
<i>M/N</i> : E7		<i>Humidity</i> : 50 %		
<i>Power Supply</i> : AC300V		<i>Test Mode</i> : Charging		
<i>Test Engineer</i> : Jason Wen				
Frequency Range (MHz)	Injected Position	Strength	Criterion	Result
0.15 ~ 20	AC Line	3V(rms), Unmodulated	A	N/A
20 ~ 80	AC Line	3V(rms), Unmodulated	A	N/A

14. VOLTAGE DIPS AND INTERRUPTIONS TEST

14.1. Voltage Dips and Interruptions Test Setup



Remark: Combination wave generator and decoupling network are included in test generator.

14.2. Test Standard

EN 61000-6-1:2017 (EN 61000-4-11:2019)

14.3. Severity Levels and Performance Criterion

14.3.1. Severity level

Test Level %U _T	Voltage dip and short interruptions %U _T	Duration (in period)
0	100	250p
40	60	5p
70	30	0.5p

14.3.2. Performance criterion: C & B

14.4. EUT Configuration on Test

The configuration of EUT is listed in Section 3.2.

14.5. Operating Condition of EUT

14.5.1. Setup the EUT as shown in Section 14.1.

14.5.2. Turn on the power of all equipments.

14.5.3. Let the EUT work in test mode (ON) and test it.

14.6. Test Procedure

- 1) Set up the EUT and test generator as shown on Section 14.1.
- 2) The interruption is introduced at selected phase angles with specified duration.
- 3) Record any degradation of performance.

14.7. Test Result

N/A

Please refer to the following page.


Voltage Dips And Interruptions Test Results

TMC Testing Services(Shenzhen) Co., Ltd.

Date: December 22, 2022


<i>Applicant</i>	: SHENZHEN CAZN ELECTRONIC CO., LTD	<i>Test Date</i>	: December 20, 2022		
<i>EUT</i>	: CONNECTOR	<i>Temperature</i>	: 22 °C		
<i>M/N</i>	: E7	<i>Humidity</i>	: 50 %		
<i>Power Supply</i>	: AC300V	<i>Test Mode</i>	: Charging		
<i>Test Engineer</i>	: Jason Wen				
<i>Test Level</i> % U_T	<i>Voltage Dips & Short Interruptions</i> % U_T	<i>Duration (in period)</i>	<i>Phase Angle</i>	<i>Criterion</i>	<i>Result</i>
0	100	250P	$0^\circ \sim 360^\circ$	C	N/A
40	60	5P	$0^\circ \sim 360^\circ$	C	N/A
70	30	0.5P	$0^\circ \sim 360^\circ$	B	N/A

APPENDIX I




Site LAB Phase: **L1** Temperature: 26(C)
 Limit: EN 61000-6-1 AC main CE-Class B-QP Humidity: 54 %RH

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.2985	33.85	10.03	43.88	60.28	-16.40	peak	P	
2 *	0.4920	31.06	10.03	41.09	56.13	-15.04	peak	P	
3	0.7755	14.12	10.04	24.16	46.00	-21.84	AVG	P	
4	0.9195	30.66	10.04	40.70	56.00	-15.30	peak	P	
5	1.0905	10.16	10.04	20.20	46.00	-25.80	AVG	P	
6	1.2660	28.23	10.04	38.27	56.00	-17.73	peak	P	
7	1.4055	9.94	10.04	19.98	46.00	-26.02	AVG	P	
8	1.6935	25.58	10.05	35.63	56.00	-20.37	peak	P	
9	1.7340	7.52	10.05	17.57	46.00	-28.43	AVG	P	
10	1.9950	24.53	10.05	34.58	56.00	-21.42	peak	P	
11	2.0355	5.83	10.05	15.88	46.00	-30.12	AVG	P	
12	25.5165	8.77	10.12	18.89	50.00	-31.11	AVG	P	



APPENDIX II



Site LAB


 Polarization: *Horizontal*

Temperature: 24(C)

Limit: EN 61000-6-1-RE(3M)

Humidity: 54 %

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	36.7662	26.87	-16.80	10.07	40.00	-29.93	peak	100	360	P	
2	56.0007	26.58	-16.88	9.70	40.00	-30.30	peak	100	360	P	
3 *	141.8262	39.23	-16.62	22.61	40.00	-17.39	peak	100	360	P	
4	313.2760	28.04	-15.24	12.80	47.00	-34.20	peak	100	360	P	
5	603.5392	29.16	-7.79	21.37	47.00	-25.63	peak	100	360	P	
6	851.0353	28.13	-4.19	23.94	47.00	-23.06	peak	100	360	P	



Site LAB

 Polarization: *Vertical*

Temperature: 24(C)

Limit: EN 61000-6-1-RE(3M)

Humidity: 54 %

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	39.9942	26.01	-16.27	9.74	40.00	-30.26	peak	100	0	P	
2 *	54.2610	33.56	-16.78	16.78	40.00	-23.22	peak	100	0	P	
3	107.8877	32.33	-19.15	13.18	40.00	-26.82	peak	100	0	P	
4	140.3421	28.62	-16.75	11.87	40.00	-28.13	peak	100	0	P	
5	441.7426	28.66	-11.90	16.76	47.00	-30.24	peak	100	0	P	
6	739.6604	28.37	-5.56	22.81	47.00	-24.19	peak	100	0	P	

APPENDIX III

Photo 1 General Appearance of the EUT



Photo 2 General Appearance of the EUT



Photo 3 General Appearance of the EUT




Photo 4 Radiated Emission Test




Photo 5 Power Line Conducted Emission Test




Photo 6 Electrostatic Discharge Test



End of report